EXHIBIT D

CITED PUBLICATIONS

- 1. European Food Safety Authority: **Opinion of the Scientific Panel on Contaminants in the Food chain on Perfluorooctane sulfonate (PFOS), perfluorooctanoic acid (PFOA) and their salts.** *The EFSA Journal* 2008, **653**:1-131.
- 2. European Food Safety Authority: **Guidance of the Scientific Committee on Use of the benchmark dose approach in risk assessment**. *The EFSA Journal* 2009, **1150**:1-72.
- 3. C8 Science Panel: **The Science Panel Website**. In. Edited by Fletcher T, Steenland K, Savitz D; 2013.
- 4. Agency for Toxic Substances and Disease Registry: **Draft toxicological profile for perfluoroalkyls**. In. Atlanta, GA: Agency for Toxic Substances and Disease Registry; 2015.
- 5. National Toxicology Program: Immunotoxicity Associated with Exposure to Perfluorooctanoic Acid (PFOA) or Perfluorooctane Sulfonate (PFOS). In., vol. 2017. Raleigh, NC: National Toxicology Program; 2016.
- 6. International Agency for Research on Cancer: **Some Chemicals Used as Solvents and in Polymer Manufacture. Perfluorooctanoic acid.** In: *IARC Monographs On The Evaluation Of Carcinogenic Risks To Humans*. vol. 110. Lyon: International Agency for Research on Cancer; 2016: 37-110.
- 7. Post GB, Cohn PD, Cooper KR: **Perfluorooctanoic acid (PFOA), an emerging drinking water contaminant: a critical review of recent literature**. *Environ Res* 2012, **116**:93-117.
- 8. Steenland K, Fletcher T, Savitz DA: **Epidemiologic evidence on the health effects of perfluorooctanoic acid (PFOA)**. *Environ Health Perspect* 2010, **118**(8):1100-1108.
- 9. White SS, Fenton SE, Hines EP: **Endocrine disrupting properties of perfluorooctanoic acid**. *J Steroid Biochem Mol Biol* 2011, **127**(1-2):16-26.
- 10. New Jersey Drinking Water Quality Institute Health Effects Subcommittee: **Health-based maximum contaminant levels upport document: Perfluorooctanoic acid** (**PFOA**). In. Edited by Protection NJDoE. Trenton, NJ: New Jersey Drinking Water Ouality Institute; 2016.
- 11. Kauck EA, Diesslin AR: **Some Properties of Perfluorocarboxylic Acids**. *Industrial & Engineering Chemistry* 1951, **43**(10):2332-2334.
- 12. Paul AG, Jones KC, Sweetman AJ: A first global production, emission, and environmental inventory for perfluorooctane sulfonate. *Environ Sci Technol* 2009, 43(2):386-392.
- 13. Key BD, Howell RD, Criddle CS: **Fluorinated organics in the biosphere**. *Environ Sci Technol* 1997, **31**(9):2445-2454.
- 14. Butt CM, Berger U, Bossi R, Tomy GT: **Levels and trends of poly- and perfluorinated compounds in the arctic environment**. *Sci Total Environ* 2010, **408**(15):2936-2965.
- 15. Houde M, De Silva AO, Muir DC, Letcher RJ: **Monitoring of perfluorinated compounds in aquatic biota: an updated review**. *Environ Sci Technol* 2011, **45**(19):7962-7973.

- 16. Minnesota Department of Health: **East Metro PFC Community Updates**. In. St-Paul, MN: Environmental Public Health Tracking and Biomonitoring, Minnesota Department of Health; 2013.
- 17. Agency for Toxic Substances and Disease Registry: **Draft toxicological profile for perfluoroalkyls**. In. Atlanta, GA: Agency for Toxic Substances and Disease Registry; 2009.
- 18. Minnesota Department of Health: Public Health Assessment for perfluorochemical contamination in Lake Elmo and Oakdale, Washington County, Minnesota. In. Atlanta, GA: Agency for Toxic Substances and Disease Registry; 2008.
- 19. Xiao X, Ulrich BA, Chen B, Higgins CP: Sorption of Poly- and Perfluoroalkyl Substances (PFASs) Relevant to Aqueous Film-Forming Foam (AFFF)-Impacted Groundwater by Biochars and Activated Carbon. *Environ Sci Technol* 2017, 51(11):6342-6351.
- 20. Holzer J, Goen T, Just P, Reupert R, Rauchfuss K, Kraft M, Muller J, Wilhelm M: **Perfluorinated compounds in fish and blood of anglers at Lake Mohne, Sauerland area, Germany**. *Environ Sci Technol* 2011, **45**(19):8046-8052.
- 21. Delinsky AD, Strynar MJ, McCann PJ, Varns JL, McMillan L, Nakayama SF, Lindstrom AB: Geographical distribution of perfluorinated compounds in fish from Minnesota lakes and rivers. *Environ Sci Technol* 2010, 44(7):2549-2554.
- 22. Delinsky AD, Strynar MJ, Nakayama SF, Varns JL, Ye X, McCann PJ, Lindstrom AB: **Determination of ten perfluorinated compounds in bluegill sunfish (Lepomis macrochirus) fillets**. *Environ Res* 2009, **109**(8):975-984.
- 23. Cardno Entrix: Mississippi River Pool 2 PFOS Assessment Fish Tissues and Water-Summer 2011. In. Okemos, MI: Cardno Entrix; 2011.
- 24. Satoh JI: Molecular network analysis of human microRNA targetome: from cancers to Alzheimer's disease. *BioData mining* 2012, **5**(1):17.
- 25. Mondal D, Lopez-Espinosa MJ, Armstrong B, Stein CR, Fletcher T: **Relationships of perfluorooctanoate and perfluorooctane sulfonate serum concentrations between mother-child pairs in a population with perfluorooctanoate exposure from drinking water**. *Environ Health Perspect* 2012, **120**(5):752-757.
- 26. Kato K, Calafat AM, Wong LY, Wanigatunga AA, Caudill SP, Needham LL: Polyfluoroalkyl compounds in pooled sera from children participating in the National Health and Nutrition Examination Survey 2001-2002. *Environ Sci Technol* 2009, 43(7):2641-2647.
- 27. Cariou R, Veyrand B, Yamada A, Berrebi A, Zalko D, Durand S, Pollono C, Marchand P, Leblanc JC, Antignac JP *et al*: **Perfluoroalkyl acid (PFAA) levels and profiles in breast milk, maternal and cord serum of French women and their newborns**. *Environ Int* 2015, **84**:71-81.
- 28. Needham LL, Grandjean P, Heinzow B, Jorgensen PJ, Nielsen F, Patterson DG, Jr., Sjodin A, Turner WE, Weihe P: **Partition of environmental chemicals between maternal and fetal blood and tissues**. *Environ Sci Technol* 2011, **45**(3):1121-1126.
- 29. Liu J, Liu Y, Chan HM, Zhao Y, Cai Z, Wu Y: Comparison on gestation and lactation exposure of perfluorinated compounds for newborns. *Environ Int* 2011, 37(7):1206-1212.

- 30. Mogensen UB, Grandjean P, Nielsen F, Weihe P, Budtz-Jorgensen E: **Breastfeeding as an Exposure Pathway for Perfluorinated Alkylates**. *Environ Sci Technol* 2015, **49**(17):10466-10473.
- 31. Butenhoff JL, Kennedy GL, Jr., Frame SR, O'Connor JC, York RG: **The reproductive toxicology of ammonium perfluorooctanoate (APFO) in the rat**. *Toxicology* 2004, **196**(1-2):95-116.
- 32. Hinderliter PM, Mylchreest E, Gannon SA, Butenhoff JL, Kennedy GL, Jr.: **Perfluorooctanoate: Placental and lactational transport pharmacokinetics in rats**. *Toxicology* 2005, **211**(1-2):139-148.
- 33. World Health Organization: **Fourth WHO-Coordinated Survey of Human Milk for Persistent Organic Pollutants in Cooperation with UNEP**. In. Geneva: World Health Organization; 2007.
- 34. Grandjean P, Jensen AA: **Breastfeeding and the weanling's dilemma**. *Am J Public Health* 2004, **94**(7):1075; author reply 1075-1076.
- 35. Grandjean P, Andersen EW, Budtz-Jorgensen E, Nielsen F, Molbak K, Weihe P, Heilmann C: **Serum vaccine antibody concentrations in children exposed to perfluorinated compounds**. *JAMA*: the journal of the American Medical Association 2012, **307**(4):391-397.
- 36. Mondal D, Weldon RH, Armstrong BG, Gibson LJ, Lopez-Espinosa MJ, Shin HM, Fletcher T: **Breastfeeding: a potential excretion route for mothers and implications for infant exposure to perfluoroalkyl acids**. *Environ Health Perspect* 2014, **122**(2):187-192.
- 37. Minnesota Department of Health: **MDH issues new guidance on chemicals in some private wells, city water in East Metro, Bemidji**. In., vol. 2017. St.Paul, MN: Minnesota Department of Health; 2017.
- 38. Guruge KS, Manage PM, Yamanaka N, Miyazaki S, Taniyasu S, Yamashita N: **Species-specific concentrations of perfluoroalkyl contaminants in farm and pet animals in Japan**. *Chemosphere* 2008, **73**(1 Suppl):S210-215.
- 39. Braunig J, Baduel C, Heffernan A, Rotander A, Donaldson E, Mueller JF: **Fate and redistribution of perfluoroalkyl acids through AFFF-impacted groundwater**. *Sci Total Environ* 2017, **596-597**:360-368.
- 40. Kowalczyk J, Ehlers S, Oberhausen A, Tischer M, Furst P, Schafft H, Lahrssen-Wiederholt M: **Absorption, distribution, and milk secretion of the perfluoroalkyl acids PFBS, PFHxS, PFOS, and PFOA by dairy cows fed naturally contaminated feed**. *Journal of agricultural and food chemistry* 2013, **61**(12):2903-2912.
- 41. Bjorklund JA, Thuresson K, De Wit CA: **Perfluoroalkyl compounds (PFCs) in indoor dust: concentrations, human exposure estimates, and sources**. *Environ Sci Technol* 2009, **43**(7):2276-2281.
- 42. Taves DR: Evidence that there are two forms of fluoride in human serum. *Nature* 1968, **217**(5133):1050-1051.
- 43. Guy WS: Fluorocompound(s) of Human Plasma: Analysis, Prevalence, Purification and Characterization. Rochester, NY: University of Rochester School of Medicine and Dentistry; 1972.
- 44. Griffith FD, Long JE: **Animal toxicity studies with ammonium perfluorooctanoate**. *Am Ind Hyg Assoc J* 1980, **41**(8):576-583.

- 45. Franko J, Meade BJ, Frasch HF, Barbero AM, Anderson SE: **Dermal penetration potential of perfluorooctanoic acid (PFOA) in human and mouse skin**. *Journal of toxicology and environmental health Part A* 2012, **75**(1):50-62.
- 46. Centers for Disease Control and Prevention: **Fourth national report on human exposure to environmental chemicals, Updated tables**. In. Atlanta, GA: Centers for Disease Control and Prevention; 2012.
- 47. Guy WS, Taves DR, Brey WS: **Organic fluorocompounds in human-plasma prevalence and characterization**. ACS Symposium Series 1976(28):117-134.
- 48. Ozonoff D: **Medical aspects of the hazardous waste problem**. *The American journal of forensic medicine and pathology* 1982, **3**(4):343-348.
- 49. Olsen GW, Church TR, Miller JP, Burris JM, Hansen KJ, Lundberg JK, Armitage JB, Herron RM, Medhdizadehkashi Z, Nobiletti JB *et al*: **Perfluorooctanesulfonate and other fluorochemicals in the serum of American Red Cross adult blood donors**. *Environ Health Perspect* 2003, **111**(16):1892-1901.
- 50. Calafat AM, Kuklenyik Z, Reidy JA, Caudill SP, Tully JS, Needham LL: **Serum concentrations of 11 polyfluoroalkyl compounds in the U.S. population: data from the national health and nutrition examination survey (NHANES)**. *Environ Sci Technol* 2007, **41**(7):2237-2242.
- 51. Jin H, Zhang Y, Jiang W, Zhu L, Martin JW: **Isomer-Specific Distribution of Perfluoroalkyl Substances in Blood**. *Environ Sci Technol* 2016, **50**(14):7808-7815.
- 52. Perez F, Nadal M, Navarro-Ortega A, Fabrega F, Domingo JL, Barcelo D, Farre M: **Accumulation of perfluoroalkyl substances in human tissues**. *Environ Int* 2013, **59**:354-362.
- 53. Kato K, Wong LY, Jia LT, Kuklenyik Z, Calafat AM: **Trends in Exposure to Polyfluoroalkyl Chemicals in the U.S. Population: 1999-2008**. Environ Sci Technol 2011.
- 54. Minnesota Department of Health: **East Metro perfluorochemical biomonitoring project**. In. St. Paul, MN: Environmental Public Health Tracking and Biomonitoring, Minnesota Department of Health; 2009.
- 55. Egeghy PP, Lorber M: An assessment of the exposure of Americans to perfluorooctane sulfonate: a comparison of estimated intake with values inferred from NHANES data. *J Expo Sci Environ Epidemiol* 2011, **21**(2):150-168.
- 56. Lorber M, Egeghy PP: Simple intake and pharmacokinetic modeling to characterize exposure of Americans to perfluoroctanoic acid, PFOA. Environ Sci Technol 2011, 45(19):8006-8014.
- 57. Olsen GW, Burris JM, Ehresman DJ, Froehlich JW, Seacat AM, Butenhoff JL, Zobel LR: Half-life of serum elimination of perfluorooctanesulfonate, perfluorohexanesulfonate, and perfluorooctanoate in retired fluorochemical production workers. *Environ Health Perspect* 2007, 115(9):1298-1305.
- 58. Andersen ME, Clewell HJ, 3rd, Tan YM, Butenhoff JL, Olsen GW: **Pharmacokinetic** modeling of saturable, renal resorption of perfluoroalkylacids in monkeys--probing the determinants of long plasma half-lives. *Toxicology* 2006, **227**(1-2):156-164.
- 59. Verner MA, Loccisano AE, Morken NH, Yoon M, Wu H, McDougall R, Maisonet M, Marcus M, Kishi R, Miyashita C *et al*: **Associations of Perfluoroalkyl Substances** (**PFAS**) with Lower Birth Weight: An Evaluation of Potential Confounding by

- Glomerular Filtration Rate Using a Physiologically Based Pharmacokinetic Model (PBPK). Environ Health Perspect 2015, **123**(12):1317-1324.
- 60. Olsen GW, Lange CC, Ellefson ME, Mair DC, Church TR, Goldberg CL, Herron RM, Medhdizadehkashi Z, Nobiletti JB, Rios JA *et al*: **Temporal trends of perfluoroalkyl concentrations in American Red Cross adult blood donors, 2000-2010**. *Environ Sci Technol* 2012, **46**(11):6330-6338.
- 61. Genuis SJ, Liu Y, Genuis QI, Martin JW: **Phlebotomy treatment for elimination of perfluoroalkyl acids in a highly exposed family: a retrospective case-series**. *PLoS One* 2014, **9**(12):e114295.
- 62. Lorber M, Eaglesham GE, Hobson P, Toms LM, Mueller JF, Thompson JS: **The effect of ongoing blood loss on human serum concentrations of perfluorinated acids**. *Chemosphere* 2015, **118**:170-177.
- 63. Minnesota Department of Health: **Environmental Public Health Tracking & Biomonitoring**. In: *Report to the Minnesota Legislature*. St.Paul, MN: Minnesota Department of Health; 2011.
- 64. Minnesota Department of Health: **East Metro PFC3 Biomonitoring Project**. In. St. Paul, MN: Environmental Public Health Tracking and Biomonitoring, Minnesota Department of Health; 2015.
- 65. Emmett EA, Shofer FS, Zhang H, Freeman D, Desai C, Shaw LM: Community exposure to perfluorooctanoate: relationships between serum concentrations and exposure sources. *J Occup Environ Med* 2006, **48**(8):759-770.
- 66. Olsen GW, Burris JM, Burlew MM, Mandel JH: **Plasma cholecystokinin and hepatic enzymes, cholesterol and lipoproteins in ammonium perfluorooctanoate production workers**. *Drug Chem Toxicol* 2000, **23**(4):603-620.
- 67. Chang SC, Das K, Ehresman DJ, Ellefson ME, Gorman GS, Hart JA, Noker PE, Tan YM, Lieder PH, Lau C *et al*: Comparative pharmacokinetics of perfluorobutyrate in rats, mice, monkeys, and humans and relevance to human exposure via drinking water. *Toxicol Sci* 2008, **104**(1):40-53.
- 68. Hoffman K, Webster TF, Bartell SM, Weisskopf MG, Fletcher T, Vieira VM: **Private** drinking water wells as a source of exposure to perfluorooctanoic acid (**PFOA**) in communities surrounding a fluoropolymer production facility. *Environ Health Perspect* 2011, **119**(1):92-97.
- 69. Lindh CH, Rylander L, Toft G, Axmon A, Rignell-Hydbom A, Giwercman A, Pedersen HS, Goalczyk K, Ludwicki JK, Zvyezday V *et al*: **Blood serum concentrations of perfluorinated compounds in men from Greenlandic Inuit and European populations**. *Chemosphere* 2012, **88**(11):1269-1275.
- 70. Weihe P, Kato K, Calafat AM, Nielsen F, Wanigatunga AA, Needham LL, Grandjean P: Serum concentrations of polyfluoroalkyl compounds in Faroese whale meat consumers. *Environ Sci Technol* 2008, **42**(16):6291-6295.
- 71. Lindstrom AB, Strynar MJ, Libelo EL: **Polyfluorinated compounds: past, present, and future**. *Environ Sci Technol* 2011, **45**(19):7954-7961.
- 72. Gilliland FD, Mandel JS: **Mortality among employees of a perfluorooctanoic acid production plant**. *J Occup Med* 1993, **35**(9):950-954.
- 73. Leonard RC, Kreckmann KH, Sakr CJ, Symons JM: Retrospective cohort mortality study of workers in a polymer production plant including a reference population of regional workers. *Ann Epidemiol* 2008, **18**(1):15-22.

- 74. Sakr CJ, Symons JM, Kreckmann KH, Leonard RC: Ischaemic heart disease mortality study among workers with occupational exposure to ammonium perfluoroctanoate. Occup Environ Med 2009, 66(10):699-703.
- 75. Steenland K, Deddens J, Salvan A, Stayner L: **Negative bias in exposure-response** trends in occupational studies: modeling the healthy workers survivor effect. *Am J Epidemiol* 1996, **143**(2):202-210.
- 76. Lundin JI, Alexander BH, Olsen GW, Church TR: **Ammonium perfluorooctanoate** production and occupational mortality. *Epidemiology* 2009, **20**(6):921-928.
- 77. Grandjean P, Bellinger D, Bergman A, Cordier S, Davey-Smith G, Eskenazi B, Gee D, Gray K, Hanson M, van den Hazel P *et al*: **The Faroes statement: human health effects of developmental exposure to chemicals in our environment**. *Basic Clin Pharmacol Toxicol* 2008, **102**(2):73-75.
- 78. Hines EP, White SS, Stanko JP, Gibbs-Flournoy EA, Lau C, Fenton SE: **Phenotypic dichotomy following developmental exposure to perfluorooctanoic acid (PFOA) in female CD-1 mice: Low doses induce elevated serum leptin and insulin, and overweight in mid-life.** *Mol Cell Endocrinol* 2009, **304**(1-2):97-105.
- 79. Grandjean P: **Science for precautionary decision-making**. In: *Late Lessons from Early Warnings*. Edited by Gee D, Grandjean, P., Hansen, S.F., van den Hove, S., MacGarvin, M., Martin, J., Nielsen, G., Quist, D., Stanners, D., vol. II. Copenhagen: European Environment Agency; 2013: 517-535.
- 80. Michaels D: **Doubt is their product: how industry's assault on science threatens your health**. Oxford; New York: Oxford University Press; 2008.
- 81. Blum A, Balan SA, Scheringer M, Trier X, Goldenman G, Cousins IT, Diamond M, Fletcher T, Higgins C, Lindeman AE *et al*: **The Madrid Statement on Poly- and Perfluoroalkyl Substances (PFASs)**. *Environ Health Perspect* 2015, **123**(5):A107-111.
- 82. European Environment Agency: Late lessons from early warnings: the precautionary principle 1896-2000. In: *Environmental issue report No 22*. Copenhagen; 2001.
- 83. Zobel LR, Olsen GW, Butenhoff JL: **Perfluorinated compounds and immunotoxicity in children**. *JAMA*: the journal of the American Medical Association 2012, **307**(18):1910; author reply 1910-1911.
- 84. Ubel FA, Sorenson SD, Roach DE: **Health status of plant workers exposed to fluorochemicals--a preliminary report**. *Am Ind Hyg Assoc J* 1980, **41**(8):584-589.
- 85. Hodge HC, Smith FA: **Occupational fluoride exposure**. *J Occup Med* 1977, **19**(1):12-39.
- 86. Needleman HL: Clair Patterson and Robert Kehoe: two views of lead toxicity. *Environ Res* 1998. **78**(2):79-85.
- 87. Tsai PL, Hatfield TH: **Global benefits from the phaseout of leaded fuel**. *J Environ Health* 2011, **74**(5):8-14.
- 88. Olsen GW, Gilliland FD, Burlew MM, Burris JM, Mandel JS, Mandel JH: **An** epidemiologic investigation of reproductive hormones in men with occupational exposure to perfluorooctanoic acid. *J Occup Environ Med* 1998, **40**(7):614-622.
- 89. Wen CP, Tsai SP: **Anatomy of the health worker effect a critique of summary statistics employed in occupational epidemiology**. *Scand J Work Environ Health* 1982, **8 Suppl 1**:48-52.
- 90. Clapp R, Hoppin, P.: **Perfluorooctanoic Acid**. In: *Defending Science*. The Project on Scientific Knowledge and Public Policy; 2011.

- 91. Gutshall DM, Pilcher GD, Langley AE: **Effect of thyroxine supplementation on the response to perfluoro-n-decanoic acid (PFDA) in rats**. *J Toxicol Environ Health* 1988, **24**(4):491-498.
- 92. Langley AE, Pilcher GD: **Thyroid, bradycardic and hypothermic effects of perfluoro-n-decanoic acid in rats**. *J Toxicol Environ Health* 1985, **15**(3-4):485-491.
- 93. Raleigh KK, Alexander BH, Olsen GW, Ramachandran G, Morey SZ, Church TR, Logan PW, Scott LL, Allen EM: **Mortality and cancer incidence in ammonium** perfluorooctanoate production workers. *Occup Environ Med* 2014, **71**(7):500-506.
- 94. Hardell E, Karrman A, van Bavel B, Bao J, Carlberg M, Hardell L: Case-control study on perfluorinated alkyl acids (PFAAs) and the risk of prostate cancer. *Environ Int* 2014, **63**:35-39.
- 95. McGarity TO, Wagner WE: **Bending Science: How special interests corrupt public health research**. Boston: Harvard University Press; 2008.
- 96. Fei C, Olsen J: **Prenatal exposure to perfluorinated chemicals and behavioral or coordination problems at age 7 years**. *Environ Health Perspect* 2011, **119**(4):573-578.
- 97. Eriksen KT, Sorensen M, McLaughlin JK, Lipworth L, Tjonneland A, Overvad K, Raaschou-Nielsen O: **Perfluorooctanoate and perfluorooctanesulfonate plasma levels and risk of cancer in the general Danish population**. *J Natl Cancer Inst* 2009, **101**(8):605-609.
- 98. Qazi MR, Abedi MR, Nelson BD, DePierre JW, Abedi-Valugerdi M: **Dietary exposure** to perfluorooctanoate or perfluorooctane sulfonate induces hypertrophy in centrilobular hepatocytes and alters the hepatic immune status in mice. *Int Immunopharmacol* 2010, **10**(11):1420-1427.
- 99. Peters JM, Gonzalez FJ: Why toxic equivalency factors are not suitable for perfluoroalkyl chemicals. *Chem Res Toxicol* 2011, **24**(10):1601-1609.
- 100. Bach CC, Henriksen TB, Bossi R, Bech BH, Fuglsang J, Olsen J, Nohr EA:
 Perfluoroalkyl Acid Concentrations in Blood Samples Subjected to Transportation
 and Processing Delay. *PLoS One* 2015, **10**(9):e0137768.
- 101. Grandjean P, Budtz-Jorgensen E: **An ignored risk factor in toxicology: The total imprecision of exposure assessment**. *Pure Appl Chem* 2010, **82**(2):383-391.
- 102. Jorgensen AW, Hilden J, Gotzsche PC: Cochrane reviews compared with industry supported meta-analyses and other meta-analyses of the same drugs: systematic review. *BMJ* 2006, **333**(7572):782.
- 103. Lesser LI, Ebbeling CB, Goozner M, Wypij D, Ludwig DS: **Relationship between** funding source and conclusion among nutrition-related scientific articles. *PLoS Med* 2007, **4**(1):e5.
- 104. Jackler RK: **Testimony by otolaryngologists in defense of tobacco companies 2009- 2014**. *Laryngoscope* 2015, **125**(12):2722-2729.
- 105. Egilman DS, Ardolino EL, Howe S, Bird T: **Deconstructing a state-of-the-art review of the asbestos brake industry**. New solutions: a journal of environmental and occupational health policy: NS 2011, **21**(4):545-571.
- 106. Grandjean P, Eriksen ML, Ellegaard O, Wallin JA: **The Matthew effect in environmental science publication: a bibliometric analysis of chemical substances in journal articles**. *Environ Health* 2011, **10**:96.
- 107. Grandjean P, Barouki R, Bellinger DC, Casteleyn L, Chadwick LH, Cordier S, Etzel RA, Gray KA, Ha EH, Junien C *et al*: **Life-Long Implications of Developmental Exposure**

- **to Environmental Stressors: New Perspectives**. *Endocrinology* 2015, **156**(10):3408-3415.
- 108. Giesy JP, Kannan K: **Global distribution of perfluorooctane sulfonate in wildlife**. *Environ Sci Technol* 2001, **35**(7):1339-1342.
- 109. Hansen KJ, Clemen LA, Ellefson ME, Johnson HO: Compound-specific, quantitative characterization of organic fluorochemicals in biological matrices. *Environ Sci Technol* 2001, **35**(4):766-770.
- 110. Buck RC, Franklin J, Berger U, Conder JM, Cousins IT, de Voogt P, Jensen AA, Kannan K, Mabury SA, van Leeuwen SP: **Perfluoroalkyl and polyfluoroalkyl substances in the environment: terminology, classification, and origins**. *Integrated environmental assessment and management* 2011, **7**(4):513-541.
- 111. National Research Council: **Science and decisions: advancing risk assessment**. Washington, D.C.: National Academy Press; 2009.
- 112. C8 Science Panel: **Status Report: PFOA and immune biomarkers in adults exposed to PFOA in drinking water in the mid Ohio valley.** In. Edited by Fletcher T, Steenland K, Savitz D; 2009.
- 113. Grandjean P, Heilmann C, Weihe P, Nielsen F, Mogensen UB, Timmermann A, Budtz-Jorgensen E: **Estimated exposures to perfluorinated compounds in infancy predict attenuated vaccine antibody concentrations at age 5-years**. *J Immunotoxicol* 2017, **14**(1):188-195.
- 114. van Loveren H, Germolec D, Koren HS, Luster MI, Nolan C, Repetto R, Smith E, Vos JG, Vogt RF: Report of the Bilthoven Symposium: Advancement of Epidemiological Studies in Assessing the Human Health Effects of Immunotoxic Agents in the Environment and the Workplace. *Biomarkers* 1999, 4(2):135-157.
- 115. Weisglas-Kuperus N, Patandin S, Berbers GA, Sas TC, Mulder PG, Sauer PJ, Hooijkaas H: Immunologic effects of background exposure to polychlorinated biphenyls and dioxins in Dutch preschool children. *Environ Health Perspect* 2000, **108**(12):1203-1207.
- 116. Heilmann C, Grandjean P, Weihe P, Nielsen F, Budtz-Jorgensen E: **Reduced antibody** responses to vaccinations in children exposed to polychlorinated biphenyls. *PLoS Med* 2006, **3**(8):e311.
- 117. Stolevik SB, Nygaard UC, Namork E, Haugen M, Meltzer HM, Alexander J, Knutsen HK, Aaberge I, Vainio K, van Loveren H *et al*: **Prenatal exposure to polychlorinated biphenyls and dioxins from the maternal diet may be associated with immunosuppressive effects that persist into early childhood.** *Food Chem Toxicol* **2013, 51**:165-172.
- Jusko TA, De Roos AJ, Lee SY, Thevenet-Morrison K, Schwartz SM, Verner MA, Murinova LP, Drobna B, Kocan A, Fabisikova A et al: A Birth Cohort Study of Maternal and Infant Serum PCB-153 and DDE Concentrations and Responses to Infant Tuberculosis Vaccination. Environ Health Perspect 2016, 124(6):813-821.
- 119. Steenland K, Zhao L, Winquist A, Parks C: **Ulcerative colitis and perfluorooctanoic** acid (**PFOA**) in a highly exposed population of community residents and workers in the mid-Ohio valley. *Environ Health Perspect* 2013, **121**(8):900-905.
- 120. Mogensen UB, Budtz-Jørgensen E, Heilmann C, Nielsen F, Weihe P, Grandjean P: Structural equation modeling of immunotoxicity associated with exposure to perfluorinated compounds. *Environ Health* 2015, **14**(47).

- 121. Dietert RR: **Developmental immunotoxicology (DIT): windows of vulnerability, immune dysfunction and safety assessment**. *J Immunotoxicol* 2008, **5**(4):401-412.
- 122. Grandjean P, Heilmann C, Weihe P, Nielsen F, Mogensen UB, Budtz-Jorgensen E: Serum Vaccine Antibody Concentrations in Adolescents Exposed to Perfluorinated Compounds. Environ Health Perspect 2017, 125(7):077018.
- 123. Grandjean P, Heilmann C: **Perfluorinated compounds and immunotoxicity in children Reply**. *JAMA* : the journal of the American Medical Association 2012, **307**:1910-1911.
- 124. Stein CR, McGovern KJ, Pajak AM, Maglione PJ, Wolff MS: **Perfluoroalkyl and polyfluoroalkyl substances and indicators of immune function in children aged 12-19 y: National Health and Nutrition Examination Survey**. *Pediatr Res* 2016, **79**(2):348-357.
- 125. Looker C, Luster MI, Calafat AM, Johnson VJ, Burleson GR, Burleson FG, Fletcher T: Influenza vaccine response in adults exposed to perfluorooctanoate and perfluorooctanesulfonate. *Toxicol Sci* 2014, **138**(1):76-88.
- 126. Kielsen K, Shamim Z, Ryder LP, Nielsen F, Grandjean P, Budtz-Jorgensen E, Heilmann C: Antibody response to booster vaccination with tetanus and diphtheria in adults exposed to perfluorinated alkylates. *J Immunotoxicol* 2016, **13**(2):270-273.
- 127. Dalsager L, Christensen N, Husby S, Kyhl H, Nielsen F, Host A, Grandjean P, Jensen TK: **Association between prenatal exposure to perfluorinated compounds and symptoms of infections at age 1-4years among 359 children in the Odense Child Cohort**. *Environ Int* 2016, **96**:58-64.
- 128. Granum B, Haug LS, Namork E, Stolevik SB, Thomsen C, Aaberge IS, van Loveren H, Lovik M, Nygaard UC: **Pre-natal exposure to perfluoroalkyl substances may be associated with altered vaccine antibody levels and immune-related health outcomes in early childhood**. *J Immunotoxicol* 2013, **10**(4):373-379.
- 129. Fei C, McLaughlin JK, Lipworth L, Olsen J: **Prenatal exposure to PFOA and PFOS and risk of hospitalization for infectious diseases in early childhood**. *Environ Res* 2010, **110**(8):773-777.
- 130. Goudarzi H, Miyashita C, Okada E, Kashino I, Chen CJ, Ito S, Araki A, Kobayashi S, Matsuura H, Kishi R: **Prenatal exposure to perfluoroalkyl acids and prevalence of infectious diseases up to 4years of age**. *Environ Int* 2017, **104**:132-138.
- 131. Steenland K, Zhao L, Winquist A: A cohort incidence study of workers exposed to perfluorooctanoic acid (PFOA). Occup Environ Med 2015, 72(5):373-380.
- 132. Fairley KJ, Purdy R, Kearns S, Anderson SE, Meade BJ: **Exposure to the** immunosuppressant, perfluorooctanoic acid, enhances the murine IgE and airway hyperreactivity response to ovalbumin. *Toxicol Sci* 2007, **97**(2):375-383.
- 133. Wang IJ, Hsieh WS, Chen CY, Fletcher T, Lien GW, Chiang HL, Chiang CF, Wu TN, Chen PC: **The effect of prenatal perfluorinated chemicals exposures on pediatric atopy**. *Environ Res* 2011, **111**(6):785-791.
- 134. Hansen LG, Halken S, Host A, Moller K, Osterballe O: **Prediction of allergy from** family history and cord blood IgE levels. A follow-up at the age of 5 years. Cord blood IgE. IV. *Pediatr Allergy Immunol* 1993, **4**(1):34-40.
- 135. Okada E, Sasaki S, Saijo Y, Washino N, Miyashita C, Kobayashi S, Konishi K, Ito YM, Ito R, Nakata A *et al*: **Prenatal exposure to perfluorinated chemicals and relationship with allergies and infectious diseases in infants**. *Environ Res* 2012, **112**:118-125.

- 136. Timmermann CA, Budtz-Jorgensen E, Jensen TK, Osuna CE, Petersen MS, Steuerwald U, Nielsen F, Poulsen LK, Weihe P, Grandjean P: **Association between perfluoroalkyl substance exposure and asthma and allergic disease in children as modified by MMR vaccination**. *J Immunotoxicol* 2017, **14**(1):39-49.
- 137. Qin XD, Qian ZM, Dharmage SC, Perret J, Geiger SD, Rigdon SE, Howard S, Zeng XW, Hu LW, Yang BY *et al*: **Association of perfluoroalkyl substances exposure with impaired lung function in children**. *Environ Res* 2017, **155**:15-21.
- 138. Oulhote Y, Shamim Z, Kielsen K, Weihe P, Grandjean P, Ryder LP, Heilmann C: Children's white blood cell counts in relation to developmental exposures to methylmercury and persistent organic pollutants. *Reprod Toxicol* 2017, **68**:207-214.
- 139. Pennings JL, Jennen DG, Nygaard UC, Namork E, Haug LS, van Loveren H, Granum B: Cord blood gene expression supports that prenatal exposure to perfluoroalkyl substances causes depressed immune functionality in early childhood. *J Immunotoxicol* 2016, **13**(2):173-180.
- 140. Goldenthal EI, Jessup DC, Geil RG, Mehring JS: Final Report, Ninety Day Subacute Rhesus Monkey Toxicity Study, International Research and Development Corporation, Study No. 137-090, November 10, 1978, U.S. EPA Administrative Record, AR226-0447. In.; 1978.
- 141. DeWitt JC, Peden-Adams MM, Keller JM, Germolec DR: **Immunotoxicity of perfluorinated compounds: recent developments**. *Toxicol Pathol* 2012, **40**(2):300-311.
- 142. Bollands AD, Lowe KC: **Effects of a perfluorocarbon emulsion, Fluosol-DA, on rat lymphoid tissue and immunological competence**. *Comp Biochem Physiol C* 1986, **85**(2):309-312.
- 143. Peden-Adams MM, Keller JM, Eudaly JG, Berger J, Gilkeson GS, Keil DE: **Suppression of humoral immunity in mice following exposure to perfluorooctane sulfonate**. *Toxicol Sci* 2008, **104**(1):144-154.
- 144. Dewitt JC, Copeland CB, Strynar MJ, Luebke RW: **Perfluorooctanoic acid-induced immunomodulation in adult C57BL/6J or C57BL/6N female mice**. *Environ Health Perspect* 2008, **116**(5):644-650.
- 145. Guruge KS, Hikono H, Shimada N, Murakami K, Hasegawa J, Yeung LW, Yamanaka N, Yamashita N: Effect of perfluorooctane sulfonate (PFOS) on influenza A virusinduced mortality in female B6C3F1 mice. The Journal of toxicological sciences 2009, 34(6):687-691.
- 146. Keil DE, Mehlmann T, Butterworth L, Peden-Adams MM: **Gestational exposure to perfluorooctane sulfonate suppresses immune function in B6C3F1 mice**. *Toxicol Sci* 2008, **103**(1):77-85.
- 147. Corsini E, Sangiovanni E, Avogadro A, Galbiati V, Viviani B, Marinovich M, Galli CL, Dell'Agli M, Germolec DR: In vitro characterization of the immunotoxic potential of several perfluorinated compounds (PFCs). *Toxicol Appl Pharmacol* 2012, **258**(2):248-255.
- 148. U.S. Environmental Protection Agency: **Health Effects Document for Perfluorooctanoic Acid (PFOA)**. In. Washington, D.C.: U.S. EPA; 2014.
- 149. U.S. Environmental Protection Agency: **Health Effects Document for Perfluorooctane Sulfonate (PFOS)**. In. Washington, D.C.: U.S. EPA; 2014.

- 150. Grandjean P, Budtz-Jorgensen E: **Immunotoxicity of perfluorinated alkylates:** calculation of benchmark doses based on serum concentrations in children. *Environ Health* 2013, **12**:35.
- 151. Chang ET, Adami HO, Boffetta P, Wedner HJ, Mandel JS: A critical review of perfluorooctanoate and perfluorooctanesulfonate exposure and immunological health conditions in humans. *Crit Rev Toxicol* 2016, **46**(4):279-331.
- 152. Qazi MR, Nelson BD, Depierre JW, Abedi-Valugerdi M: **28-Day dietary exposure of mice to a low total dose (7 mg/kg) of perfluorooctanesulfonate (PFOS) alters neither the cellular compositions of the thymus and spleen nor humoral immune responses: does the route of administration play a pivotal role in PFOS-induced immunotoxicity?** *Toxicology* 2010, **267**(1-3):132-139.
- 153. DeWitt JC, Shnyra A, Badr MZ, Loveless SE, Hoban D, Frame SR, Cunard R, Anderson SE, Meade BJ, Peden-Adams MM *et al*: **Immunotoxicity of perfluorooctanoic acid and perfluorooctane sulfonate and the role of peroxisome proliferator-activated receptor alpha**. *Crit Rev Toxicol* 2009, **39**(1):76-94.
- 154. Corsini E, Avogadro A, Galbiati V, dell'Agli M, Marinovich M, Galli CL, Germolec DR: In vitro evaluation of the immunotoxic potential of perfluorinated compounds (PFCs). *Toxicol Appl Pharmacol* 2011, **250**(2):108-116.
- 155. Kielsen K, Shamim, Z., Ryder, L.P., Grandjean, P., Heilmann, C.: Vaccination efficacy and environmental pollution: Springer Verlag; 2016.
- 156. C8 Science Panel: **Probable link evaluation of pregnancy induced hypertension and preeclampsia**. In. Edited by Fletcher T, Steenland K, Savitz D; 2011.
- 157. Buck Louis GM: Persistent environmental pollutants and couple fecundity: an overview. *Reproduction* 2014, **147**(4):R97-R104.
- 158. Fei C, McLaughlin JK, Lipworth L, Olsen J: **Maternal levels of perfluorinated chemicals and subfecundity**. *Hum Reprod* 2009, **24**(5):1200-1205.
- 159. Velez MP, Arbuckle TE, Fraser WD: **Maternal exposure to perfluorinated chemicals and reduced fecundity: the MIREC study**. *Hum Reprod* 2015, **30**(3):701-709.
- 160. Vestergaard S, Nielsen F, Andersson AM, Hjollund NH, Grandjean P, Andersen HR, Jensen TK: **Association between perfluorinated compounds and time to pregnancy in a prospective cohort of Danish couples attempting to conceive**. *Hum Reprod* 2012, **27**(3):873-880.
- 161. Whitworth KW, Haug LS, Baird DD, Becher G, Hoppin JA, Skjaerven R, Thomsen C, Eggesbo M, Travlos G, Wilson R *et al*: **Perfluorinated compounds and subfecundity in pregnant women**. *Epidemiology* 2012, **23**(2):257-263.
- 162. Spira N, Spira A, Schwartz D: **Fertility of couples following cessation of contraception**. *J Biosoc Sci* 1985, **17**(3):281-290.
- 163. Lopez-Espinosa MJ, Fletcher T, Armstrong B, Genser B, Dhatariya K, Mondal D, Ducatman A, Leonardi G: **Association of Perfluorooctanoic Acid (PFOA) and Perfluorooctane Sulfonate (PFOS) with age of puberty among children living near a chemical plant**. *Environ Sci Technol* 2011, **45**(19):8160-8166.
- 164. Lopez-Espinosa MJ, Mondal D, Armstrong BG, Eskenazi B, Fletcher T: **Perfluoroalkyl Substances, Sex Hormones, and Insulin-like Growth Factor-1 at 6-9 Years of Age: A Cross-Sectional Analysis within the C8 Health Project.** *Environ Health Perspect* 2016, **124**(8):1269-1275.

- 165. Christensen KY, Maisonet M, Rubin C, Holmes A, Calafat AM, Kato K, Flanders WD, Heron J, McGeehin MA, Marcus M: Exposure to polyfluoroalkyl chemicals during pregnancy is not associated with offspring age at menarche in a contemporary British cohort. *Environ Int* 2011, 37(1):129-135.
- 166. Kristensen SL, Ramlau-Hansen CH, Ernst E, Olsen SF, Bonde JP, Vested A, Halldorsson TI, Becher G, Haug LS, Toft G: **Long-term effects of prenatal exposure to perfluoroalkyl substances on female reproduction**. *Hum Reprod* 2013, **28**(12):3337-3348.
- 167. Zhou W, Zhang L, Tong C, Fang F, Zhao S, Tian Y, Tao Y, Zhang J, Shanghai Birth Cohort S: **Plasma Perfluoroalkyl and Polyfluoroalkyl Substances Concentration and Menstrual Cycle Characteristics in Preconception Women**. *Environ Health Perspect* 2017, **125**(6):067012.
- 168. Rattan S, Zhou C, Chiang C, Mahalingam S, Brehm E, Flaws JA: **Exposure to endocrine disruptors during adulthood: consequences for female fertility**. *J Endocrinol* 2017, **233**(3):R109-R129.
- 169. Knox SS, Jackson T, Javins B, Frisbee SJ, Shankar A, Ducatman AM: **Implications of early menopause in women exposed to perfluorocarbons**. *J Clin Endocrinol Metab* 2011, **96**(6):1747-1753.
- 170. Toft G, Jonsson BA, Lindh CH, Giwercman A, Spano M, Heederik D, Lenters V, Vermeulen R, Rylander L, Pedersen HS *et al*: **Exposure to perfluorinated compounds and human semen quality in arctic and European populations**. *Hum Reprod* 2012, **27**(8):2532-2540.
- 171. Raymer JH, Michael LC, Studabaker WB, Olsen GW, Sloan CS, Wilcosky T, Walmer DK: Concentrations of perfluorooctane sulfonate (PFOS) and perfluorooctanoate (PFOA) and their associations with human semen quality measurements. *Reprod Toxicol* 2012, **33**(4):419-427.
- 172. Joensen UN, Bossi R, Leffers H, Jensen AA, Skakkebaek NE, Jorgensen N: **Do** perfluoroalkyl compounds impair human semen quality? *Environ Health Perspect* 2009, **117**(6):923-927.
- 173. Vested A, Ramlau-Hansen CH, Olsen SF, Bonde JP, Kristensen SL, Halldorsson TI, Becher G, Haug LS, Ernst EH, Toft G: **Associations of in utero exposure to perfluorinated alkyl acids with human semen quality and reproductive hormones in adult men**. *Environ Health Perspect* 2013, **121**(4):453-458, 458e451-455.
- 174. Bach CC, Vested A, Jorgensen KT, Bonde JP, Henriksen TB, Toft G: **Perfluoroalkyl** and polyfluoroalkyl substances and measures of human fertility: a systematic review. *Crit Rev Toxicol* 2016, **46**(9):735-755.
- 175. Darrow LA, Howards PP, Winquist A, Steenland K: **PFOA and PFOS serum levels and miscarriage risk**. *Epidemiology* 2014, **25**(4):505-512.
- 176. Jensen TK, Andersen LB, Kyhl HB, Nielsen F, Christesen HT, Grandjean P: **Association** between Perfluorinated Compound Exposure and Miscarriage in Danish Pregnant Women. *PLoS One* 2015, **10**(4):e0123496.
- 177. Stein CR, Savitz DA: **Serum perfluorinated compound concentration and attention deficit/hyperactivity disorder in children 5-18 years of age**. *Environ Health Perspect* 2011, **119**(10):1466-1471.

- 178. Darrow LA, Stein CR, Steenland K: **Serum perfluorooctanoic acid and** perfluorooctane sulfonate concentrations in relation to birth outcomes in the Mid-Ohio Valley, 2005-2010. *Environ Health Perspect* 2013, 121(10):1207-1213.
- 179. Starling AP, Engel SM, Richardson DB, Baird DD, Haug LS, Stuebe AM, Klungsoyr K, Harmon Q, Becher G, Thomsen C *et al*: **Perfluoroalkyl substances during pregnancy and validated preeclampsia among nulliparous women in the Norwegian Mother and Child Cohort Study**. *Am J Epidemiol* 2014, **179**(7):824-833.
- 180. Apelberg BJ, Witter FR, Herbstman JB, Calafat AM, Halden RU, Needham LL, Goldman LR: Cord serum concentrations of perfluorooctane sulfonate (PFOS) and perfluorooctanoate (PFOA) in relation to weight and size at birth. *Environ Health Perspect* 2007, 115(11):1670-1676.
- 181. Fei C, McLaughlin JK, Tarone RE, Olsen J: **Perfluorinated chemicals and fetal growth: a study within the Danish National Birth Cohort**. *Environ Health Perspect* 2007, **115**(11):1677-1682.
- 182. Olsen GW, Butenhoff JL, Zobel LR: **Perfluoroalkyl chemicals and human fetal development: an epidemiologic review with clinical and toxicological perspectives**. *Reprod Toxicol* 2009, **27**(3-4):212-230.
- 183. Savitz DA: Guest editorial: biomarkers of perfluorinated chemicals and birth weight. *Environ Health Perspect* 2007, **115**(11):A528-529.
- 184. Grieger JA, Clifton VL: A review of the impact of dietary intakes in human pregnancy on infant birthweight. *Nutrients* 2014, **7**(1):153-178.
- 185. Lind DV, Priskorn L, Lassen TH, Nielsen F, Kyhl HB, Kristensen DM, Christesen HT, Jorgensen JS, Grandjean P, Jensen TK: **Prenatal exposure to perfluoroalkyl substances and anogenital distance at 3 months of age in a Danish mother-child cohort**. *Reprod Toxicol* 2017, **68**:200-206.
- 186. Whitworth KW, Haug LS, Baird DD, Becher G, Hoppin JA, Skjaerven R, Thomsen C, Eggesbo M, Travlos G, Wilson R *et al*: **Perfluorinated compounds in relation to birth weight in the Norwegian Mother and Child Cohort Study**. *Am J Epidemiol* 2012, **175**(12):1209-1216.
- 187. Minatoya M, Itoh S, Miyashita C, Araki A, Sasaki S, Miura R, Goudarzi H, Iwasaki Y, Kishi R: **Association of prenatal exposure to perfluoroalkyl substances with cord blood adipokines and birth size: The Hokkaido Study on environment and children's health.** *Environ Res* 2017, **156**:175-182.
- 188. Maisonet M, Terrell ML, McGeehin MA, Christensen KY, Holmes A, Calafat AM, Marcus M: Maternal concentrations of polyfluoroalkyl compounds during pregnancy and fetal and postnatal growth in British girls. *Environ Health Perspect* 2012, **120**(10):1432-1437.
- 189. Karlsen M, Grandjean P, Weihe P, Steuerwald U, Oulhote Y, Valvi D: **Early-life** exposures to persistent organic pollutants in relation to overweight in preschool children. *Reprod Toxicol* 2017, **68**:145-153.
- 190. Das KP, Grey BE, Zehr RD, Wood CR, Butenhoff JL, Chang SC, Ehresman DJ, Tan YM, Lau C: **Effects of perfluorobutyrate exposure during pregnancy in the mouse**. *Toxicol Sci* 2008, **105**(1):173-181.
- 191. C8 Science Panel: **Probable link evaluation of birth defects**. In. Edited by Fletcher T, Steenland K, Savitz D; 2011.

- 192. Gore AC, Chappell VA, Fenton SE, Flaws JA, Nadal A, Prins GS, Toppari J, Zoeller RT: **EDC-2: The Endocrine Society's Second Scientific Statement on Endocrine-Disrupting Chemicals**. *Endocr Rev* 2015, **36**(6):E1-E150.
- 193. Maisonet M, Calafat AM, Marcus M, Jaakkola JJ, Lashen H: **Prenatal Exposure to Perfluoroalkyl Acids and Serum Testosterone Concentrations at 15 Years of Age in Female ALSPAC Study Participants**. *Environ Health Perspect* 2015, **123**(12):1325-1330.
- 194. Tsai MS, Lin CY, Lin CC, Chen MH, Hsu SH, Chien KL, Sung FC, Chen PC, Su TC: Association between perfluoroalkyl substances and reproductive hormones in adolescents and young adults. *International journal of hygiene and environmental health* 2015, 218(5):437-443.
- 195. Fei C, McLaughlin JK, Lipworth L, Olsen J: **Maternal concentrations of perfluorooctanesulfonate (PFOS) and perfluorooctanoate (PFOA) and duration of breastfeeding**. Scand J Work Environ Health 2010, **36**(5):413-421.
- 196. Romano ME, Xu Y, Calafat AM, Yolton K, Chen A, Webster GM, Eliot MN, Howard CR, Lanphear BP, Braun JM: **Maternal serum perfluoroalkyl substances during pregnancy and duration of breastfeeding**. *Environ Res* 2016, **149**:239-246.
- 197. Timmermann CA, Budtz-Jorgensen E, Petersen MS, Weihe P, Steuerwald U, Nielsen F, Jensen TK, Grandjean P: **Shorter duration of breastfeeding at elevated exposures to perfluoroalkyl substances**. *Reprod Toxicol* 2017, **68**:164-170.
- 198. Biegel LB, Liu RC, Hurtt ME, Cook JC: **Effects of ammonium perfluorooctanoate on Leydig cell function: in vitro, in vivo, and ex vivo studies**. *Toxicol Appl Pharmacol* 1995, **134**(1):18-25.
- 199. Gorrochategui E, Perez-Albaladejo E, Casas J, Lacorte S, Porte C: **Perfluorinated** chemicals: differential toxicity, inhibition of aromatase activity and alteration of cellular lipids in human placental cells. *Toxicol Appl Pharmacol* 2014, **277**(2):124-130.
- 200. Kjeldsen LS, Bonefeld-Jorgensen EC: **Perfluorinated compounds affect the function of sex hormone receptors**. *Environmental science and pollution research international* 2013, **20**(11):8031-8044.
- 201. Dankers AC, Roelofs MJ, Piersma AH, Sweep FC, Russel FG, van den Berg M, van Duursen MB, Masereeuw R: Endocrine disruptors differentially target ATP-binding cassette transporters in the blood-testis barrier and affect Leydig cell testosterone secretion in vitro. *Toxicol Sci* 2013, **136**(2):382-391.
- 202. Maras M, Vanparys C, Muylle F, Robbens J, Berger U, Barber JL, Blust R, De Coen W: Estrogen-like properties of fluorotelomer alcohols as revealed by mcf-7 breast cancer cell proliferation. *Environ Health Perspect* 2006, **114**(1):100-105.
- 203. Benninghoff AD, Bisson WH, Koch DC, Ehresman DJ, Kolluri SK, Williams DE: Estrogen-like activity of perfluoroalkyl acids in vivo and interaction with human and rainbow trout estrogen receptors in vitro. *Toxicol Sci* 2011, **120**(1):42-58.
- 204. Zhao B, Hu GX, Chu Y, Jin X, Gong S, Akingbemi BT, Zhang Z, Zirkin BR, Ge RS: Inhibition of human and rat 3beta-hydroxysteroid dehydrogenase and 17beta-hydroxysteroid dehydrogenase 3 activities by perfluoroalkylated substances. *Chem Biol Interact* 2010, **188**(1):38-43.
- 205. Macon MB, Villanueva LR, Tatum-Gibbs K, Zehr RD, Strynar MJ, Stanko JP, White SS, Helfant L, Fenton SE: **Prenatal perfluorooctanoic acid exposure in CD-1 mice: low-dose developmental effects and internal dosimetry**. *Toxicol Sci* 2011, **122**(1):134-145.

- 206. Post GB, Louis JB, Cooper KR, Boros-Russo BJ, Lippincott RL: Occurrence and potential significance of perfluorooctanoic acid (PFOA) detected in New Jersey public drinking water systems. *Environ Sci Technol* 2009, 43(12):4547-4554.
- 207. Gilliland FD, Mandel JS: **Serum perfluorooctanoic acid and hepatic enzymes, lipoproteins, and cholesterol: a study of occupationally exposed men**. *Am J Ind Med* 1996, **29**(5):560-568.
- 208. Grandjean P, Gronlund C, Kjaer IM, Jensen TK, Sorensen N, Andersson AM, Juul A, Skakkebaek NE, Budtz-Jorgensen E, Weihe P: **Reproductive hormone profile and pubertal development in 14-year-old boys prenatally exposed to polychlorinated biphenyls**. *Reprod Toxicol* 2012, **34**(4):498-503.
- 209. Wohlfahrt-Veje C, Andersen HR, Jensen TK, Grandjean P, Skakkebaek NE, Main KM: Smaller genitals at school age in boys whose mothers were exposed to non-persistent pesticides in early pregnancy. *Int J Androl* 2012, **35**(3):265-272.
- 210. Wohlfahrt-Veje C, Andersen HR, Schmidt IM, Aksglaede L, Sorensen K, Juul A, Jensen TK, Grandjean P, Skakkebaek NE, Main KM: **Early breast development in girls after prenatal exposure to non-persistent pesticides**. *Int J Androl* 2012, **35**(3):273-282.
- 211. Araujo AB, Dixon JM, Suarez EA, Murad MH, Guey LT, Wittert GA: Clinical review: Endogenous testosterone and mortality in men: a systematic review and meta-analysis. *J Clin Endocrinol Metab* 2011, **96**(10):3007-3019.
- 212. Yu WG, Liu W, Jin YH, Liu XH, Wang FQ, Liu L, Nakayama SF: **Prenatal and postnatal impact of perfluorooctane sulfonate (PFOS) on rat development: a cross-foster study on chemical burden and thyroid hormone system**. *Environ Sci Technol* 2009, **43**(21):8416-8422.
- 213. C8 Science Panel: **Probable link evaluation of thyroid disease**. In. Edited by Fletcher T, Steenland K, Savitz D; 2012.
- 214. Porterfield SP: **Thyroidal dysfunction and environmental chemicals--potential impact on brain development**. *Environ Health Perspect* 2000, **108 Suppl 3**:433-438.
- 215. Zoeller RT, Rovet J: **Timing of thyroid hormone action in the developing brain:** clinical observations and experimental findings. *Journal of neuroendocrinology* 2004, **16**(10):809-818.
- 216. Crofton KM: **Thyroid disrupting chemicals: mechanisms and mixtures**. *Int J Androl* 2008, **31**(2):209-223.
- 217. Olsen GW, Burris JM, Burlew MM, Mandel JH: **Epidemiologic assessment of worker serum perfluorooctanesulfonate (PFOS) and perfluorooctanoate (PFOA) concentrations and medical surveillance examinations**. *J Occup Environ Med* 2003, **45**(3):260-270.
- 218. Knox SS, Jackson T, Frisbee SJ, Javins B, Ducatman AM: **Perfluorocarbon exposure**, **gender and thyroid function in the C8 Health Project**. *The Journal of toxicological sciences* 2011, **36**(4):403-410.
- 219. Winquist A, Steenland K: **Perfluorooctanoic acid exposure and thyroid disease in community and worker cohorts**. *Epidemiology* 2014, **25**(2):255-264.
- 220. Lopez-Espinosa MJ, Mondal D, Armstrong B, Bloom MS, Fletcher T: **Thyroid function** and perfluoroalkyl acids in children living near a chemical plant. *Environ Health Perspect* 2012, **120**(7):1036-1041.
- 221. Melzer D, Rice N, Depledge MH, Henley WE, Galloway TS: Association between serum perfluorooctanoic acid (PFOA) and thyroid disease in the U.S. National

- **Health and Nutrition Examination Survey**. *Environ Health Perspect* 2010, **118**(5):686-692.
- Wen LL, Lin LY, Su TC, Chen PC, Lin CY: Association between serum perfluorinated chemicals and thyroid function in U.S. adults: the National Health and Nutrition Examination Survey 2007-2010. J Clin Endocrinol Metab 2013, 98(9):E1456-1464.
- 223. Leung AM, Korevaar TI, Peeters RP, Zoeller RT, Kohrle J, Duntas LH, Brent GA, Demeneix BA: Exposure to Thyroid-Disrupting Chemicals: A Transatlantic Call for Action. *Thyroid* 2016, **26**(4):479-480.
- 224. Butenhoff JL, Bjork JA, Chang SC, Ehresman DJ, Parker GA, Das K, Lau C, Lieder PH, van Otterdijk FM, Wallace KB: **Toxicological evaluation of ammonium perfluorobutyrate in rats: twenty-eight-day and ninety-day oral gavage studies**. *Reprod Toxicol* 2012, **33**(4):513-530.
- 225. Butenhoff JL, Kennedy GL, Jr., Chang SC, Olsen GW: Chronic dietary toxicity and carcinogenicity study with ammonium perfluorooctanoate in Sprague-Dawley rats. *Toxicology* 2012, **298**(1-3):1-13.
- 226. Chang SC, Thibodeaux JR, Eastvold ML, Ehresman DJ, Bjork JA, Froehlich JW, Lau C, Singh RJ, Wallace KB, Butenhoff JL: **Thyroid hormone status and pituitary function in adult rats given oral doses of perfluorooctanesulfonate (PFOS)**. *Toxicology* 2008, **243**(3):330-339.
- 227. Chang S, Allen BC, Andres KL, Ehresman DJ, Falvo R, Provencher A, Olsen GW, Butenhoff JL: Evaluation of Serum Lipid, Thyroid, and Hepatic Clinical Chemistries in Association With Serum Perfluorooctanesulfonate (PFOS) in Cynomolgus Monkeys After Oral Dosing With Potassium PFOS. Toxicol Sci 2017, 156(2):387-401.
- 228. Taylor PN, Okosieme OE, Murphy R, Hales C, Chiusano E, Maina A, Joomun M, Bestwick JP, Smyth P, Paradice R *et al*: **Maternal perchlorate levels in women with borderline thyroid function during pregnancy and the cognitive development of their offspring; Data from the Controlled Antenatal Thyroid Study**. *J Clin Endocrinol Metab* 2014:jc20141901.
- 229. Lam DW, LeRoith D: **The worldwide diabetes epidemic**. *Curr Opin Endocrinol Diabetes Obes* 2012, **19**(2):93-96.
- 230. Mitchell NS, Catenacci VA, Wyatt HR, Hill JO: **Obesity: overview of an epidemic**. *Psychiatr Clin North Am* 2011, **34**(4):717-732.
- 231. C8 Science Panel: **Probable link evaluation of diabetes**. In. Edited by Fletcher T, Steenland K, Savitz D; 2012.
- 232. Kuo CC, Moon K, Thayer KA, Navas-Acien A: Environmental chemicals and type 2 diabetes: an updated systematic review of the epidemiologic evidence. *Curr Diab Rep* 2013, **13**(6):831-849.
- 233. Liu Y, Peterson KE: Maternal Exposure to Synthetic Chemicals and Obesity in the Offspring: Recent Findings. Curr Environ Health Rep 2015, 2(4):339-347.
- 234. MacNeil J, Steenland NK, Shankar A, Ducatman A: A cross-sectional analysis of type II diabetes in a community with exposure to perfluorooctanoic acid (PFOA). *Environ Res* 2009, **109**(8):997-1003.
- 235. Abbott BD, Wood CR, Watkins AM, Tatum-Gibbs K, Das KP, Lau C: **Effects of perfluorooctanoic acid (PFOA) on expression of peroxisome proliferator-activated**

- receptors (PPAR) and nuclear receptor-regulated genes in fetal and postnatal CD-1 mouse tissues. *Reprod Toxicol* 2012, **33**(4):491-505.
- 236. Lin CY, Chen PC, Lin YC, Lin LY: **Association among serum perfluoroalkyl** chemicals, glucose homeostasis, and metabolic syndrome in adolescents and adults. *Diabetes Care* 2009, **32**(4):702-707.
- 237. Zong G, Grandjean P, Wang X, Sun Q: Lactation history, serum concentrations of persistent organic pollutants, and maternal risk of diabetes. *Environ Res* 2016, 150:282-288.
- 238. Timmermann CA, Rossing LI, Grøntved A, Ried-Larsen M, Dalgård C, Andersen LB, Grandjean P, Nielsen F, Svendsen KD, Scheike T *et al*: **Adiposity and glycemic control in children exposed to perfluorinated compounds**. *J Clin Endocrinol Metab* 2014, **99**(4):E608-614.
- 239. Andersen CS, Fei C, Gamborg M, Nohr EA, Sorensen TI, Olsen J: **Prenatal exposures** to perfluorinated chemicals and anthropometry at 7 years of age. *Am J Epidemiol* 2013, **178**(6):921-927.
- 240. Halldorsson TI, Rytter D, Haug LS, Bech BH, Danielsen I, Becher G, Henriksen TB, Olsen SF: **Prenatal exposure to perfluorooctanoate and risk of overweight at 20 years of age: a prospective cohort study**. *Environ Health Perspect* 2012, **120**(5):668-673.
- 241. Mora AM, Oken E, Rifas-Shiman SL, Webster TF, Gillman MW, Calafat AM, Ye X, Sagiv SK: **Prenatal Exposure to Perfluoroalkyl Substances and Adiposity in Early and Mid-Childhood**. *Environ Health Perspect* 2017, **125**(3):467-473.
- 242. Hoyer BB, Ramlau-Hansen CH, Vrijheid M, Valvi D, Pedersen HS, Zviezdai V, Jonsson BA, Lindh CH, Bonde JP, Toft G: **Anthropometry in 5- to 9-Year-Old Greenlandic and Ukrainian Children in Relation to Prenatal Exposure to Perfluorinated Alkyl Substances**. *Environ Health Perspect* 2015, **123**(8):841-846.
- 243. Braun JM: Early-life exposure to EDCs: role in childhood obesity and neurodevelopment. *Nat Rev Endocrinol* 2017, **13**(3):161-173.
- 244. Audouze K, Grandjean P: **Application of computational systems biology to explore environmental toxicity hazards**. *Environ Health Perspect* 2011, **119**(12):1754-1759.
- 245. Holtcamp W: **Obesogens: an environmental link to obesity**. *Environ Health Perspect* 2012, **120**(2):a62-68.
- 246. Lv Z, Li G, Li Y, Ying C, Chen J, Chen T, Wei J, Lin Y, Jiang Y, Wang Y *et al*: Glucose and lipid homeostasis in adult rat is impaired by early-life exposure to perfluorooctane sulfonate. *Environ Toxicol* 2013, **28**(9):532-542.
- 247. Scharmach E, Buhrke T, Lichtenstein D, Lampen A: **Perfluorooctanoic acid affects the activity of the hepatocyte nuclear factor 4 alpha (HNF4alpha)**. *Toxicology letters* 2012, **212**(2):106-112.
- 248. Barouki R, Gluckman PD, Grandjean P, Hanson M, Heindel JJ: **Developmental origins of non-communicable disease: implications for research and public health**. *Environ Health* 2012, **11**(1):42.
- 249. Ogden CL, Carroll MD, Kit BK, Flegal KM: **Prevalence of childhood and adult obesity in the United States, 2011-2012**. *JAMA*: the journal of the American Medical Association 2014, **311**(8):806-814.
- 250. Gregg EW, Shaw JE: Global Health Effects of Overweight and Obesity. N Engl J Med 2017, 377(1):80-81.

- 251. Weiss B: **The intersection of neurotoxicology and endocrine disruption**. *Neurotoxicology* 2012, **33**(6):1410-1419.
- 252. Mariussen E: Neurotoxic effects of perfluoroalkylated compounds: mechanisms of action and environmental relevance. *Arch Toxicol* 2012, **86**(9):1349-1367.
- 253. Grandjean P, Landrigan PJ: **Developmental neurotoxicity of industrial chemicals**. *Lancet* 2006, **368**(9553):2167-2178.
- 254. Fei C, McLaughlin JK, Lipworth L, Olsen J: **Prenatal exposure to perfluorooctanoate** (**PFOA**) and perfluorooctanesulfonate (**PFOS**) and maternally reported developmental milestones in infancy. *Environ Health Perspect* 2008, **116**(10):1391-1395.
- 255. Hoffman K, Webster TF, Weisskopf MG, Weinberg J, Vieira VM: **Exposure to polyfluoroalkyl chemicals and attention deficit/hyperactivity disorder in U.S. children 12-15 years of age**. *Environ Health Perspect* 2010, **118**(12):1762-1767.
- 256. Stein CR, Savitz DA, Bellinger DC: **Perfluorooctanoate exposure in a highly exposed community and parent and teacher reports of behaviour in 6-12-year-old children**. *Paediatric and perinatal epidemiology* 2014, **28**(2):146-156.
- 257. Gump BB, Wu Q, Dumas AK, Kannan K: **Perfluorochemical (PFC) exposure in children: associations with impaired response inhibition**. *Environ Sci Technol* 2011, **45**(19):8151-8159.
- 258. Vuong AM, Yolton K, Webster GM, Sjodin A, Calafat AM, Braun JM, Dietrich KN, Lanphear BP, Chen A: **Prenatal polybrominated diphenyl ether and perfluoroalkyl substance exposures and executive function in school-age children**. *Environ Res* 2016, **147**:556-564.
- 259. Oulhote Y, Steuerwald U, Debes F, Weihe P, Grandjean P: **Behavioral difficulties in 7-year old children in relation to developmental exposure to perfluorinated alkyl substances**. *Environ Int* 2016, **97**:237-245.
- 260. Liew Z, Ritz B, Bonefeld-Jorgensen EC, Henriksen TB, Nohr EA, Bech BH, Fei C, Bossi R, von Ehrenstein OS, Streja E *et al*: **Prenatal exposure to perfluoroalkyl substances and the risk of congenital cerebral palsy in children**. *Am J Epidemiol* 2014, **180**(6):574-581.
- 261. Johansson N, Fredriksson A, Eriksson P: **Neonatal exposure to perfluorooctane** sulfonate (**PFOS**) and perfluorooctanoic acid (**PFOA**) causes neurobehavioural defects in adult mice. *Neurotoxicology* 2008, **29**(1):160-169.
- 262. Grandjean P: Only one chance. How Environmental Pollution Impairs Brain Development and How to Protect the Brains of the Next Generation. New York: Oxford University Press; 2013.
- 263. C8 Science Panel: **Probable Link Evaluation for heart disease (including high blood pressure, high cholesterol, coronary artery disease)**. In. Edited by Fletcher T, Steenland K, Savitz D; 2012.
- 264. Olsen GW, Burris JM, Mandel JH, Zobel LR: **Serum perfluorooctane sulfonate and hepatic and lipid clinical chemistry tests in fluorochemical production employees**. *J Occup Environ Med* 1999, **41**(9):799-806.
- 265. Gallo V, Leonardi G, Genser B, Lopez-Espinosa MJ, Frisbee SJ, Karlsson L, Ducatman AM, Fletcher T: **Serum perfluorooctanoate (PFOA) and perfluorooctane sulfonate (PFOS) concentrations and liver function biomarkers in a population with elevated PFOA exposure**. *Environ Health Perspect* 2012, **120**(5):655-660.

- 266. Darrow LA, Groth AC, Winquist A, Shin HM, Bartell SM, Steenland K: **Modeled Perfluorooctanoic Acid (PFOA) Exposure and Liver Function in a Mid-Ohio Valley Community.** *Environ Health Perspect* 2016, **124**(8):1227-1233.
- 267. Lin CY, Lin LY, Chiang CK, Wang WJ, Su YN, Hung KY, Chen PC: **Investigation of the associations between low-dose serum perfluorinated chemicals and liver enzymes in US adults**. *The American journal of gastroenterology* 2010, **105**(6):1354-1363.
- 268. Sakr CJ, Kreckmann KH, Green JW, Gillies PJ, Reynolds JL, Leonard RC: Cross-sectional study of lipids and liver enzymes related to a serum biomarker of exposure (ammonium perfluorooctanoate or APFO) as part of a general health survey in a cohort of occupationally exposed workers. *J Occup Environ Med* 2007, **49**(10):1086-1096.
- 269. Sakr CJ, Leonard RC, Kreckmann KH, Slade MD, Cullen MR: Longitudinal study of serum lipids and liver enzymes in workers with occupational exposure to ammonium perfluorooctanoate. *J Occup Environ Med* 2007, **49**(8):872-879.
- 270. Seacat AM, Thomford PJ, Hansen KJ, Olsen GW, Case MT, Butenhoff JL: **Subchronic toxicity studies on perfluorooctanesulfonate potassium salt in cynomolgus monkeys**. *Toxicol Sci* 2002, **68**(1):249-264.
- 271. Bjork JA, Butenhoff JL, Wallace KB: Multiplicity of nuclear receptor activation by PFOA and PFOS in primary human and rodent hepatocytes. *Toxicology* 2011, 288(1-3):8-17.
- 272. Wan HT, Zhao YG, Wei X, Hui KY, Giesy JP, Wong CK: **PFOS-induced hepatic steatosis, the mechanistic actions on beta-oxidation and lipid transport**. *Biochim Biophys Acta* 2012, **1820**(7):1092-1101.
- 273. Ikeda T, Aiba K, Fukuda K, Tanaka M: **The induction of peroxisome proliferation in rat liver by perfluorinated fatty acids, metabolically inert derivatives of fatty acids.** *J Biochem* 1985, **98**(2):475-482.
- 274. Kennedy GL, Butenhoff JL, Olsen GW, O'Connor JC, Seacat AM, Perkins RG, Biegel LB, Murphy SR, Farrar DG: **The toxicology of perfluorooctanoate**. *Crit Rev Toxicol* 2004, **34**(4):351-384.
- 275. Schwimmer JB, Deutsch R, Kahen T, Lavine JE, Stanley C, Behling C: **Prevalence of fatty liver in children and adolescents**. *Pediatrics* 2006, **118**(4):1388-1393.
- 276. Pacifico L, Poggiogalle E, Cantisani V, Menichini G, Ricci P, Ferraro F, Chiesa C: **Pediatric nonalcoholic fatty liver disease: A clinical and laboratory challenge**. *World J Hepatol* 2010, **2**(7):275-288.
- 277. Mukherjee D: Perfluorooctanoic Acid Exposure and Cardiovascular Disease:
 Potential Role and Preventive Measures Comment on "Perfluorooctanoic Acid and Cardiovascular Disease in US Adults". Arch Intern Med 2012:1-2.
- 278. Olsen GW, Zobel LR: Assessment of lipid, hepatic, and thyroid parameters with serum perfluorooctanoate (PFOA) concentrations in fluorochemical production workers. Int Arch Occup Environ Health 2007, 81(2):231-246.
- 279. Costa G, Sartori S, Consonni D: **Thirty years of medical surveillance in perfluoctanoic acid production workers**. *J Occup Environ Med* 2009, **51**(3):364-372.
- 280. Shankar A, Xiao J, Ducatman A: **Perfluorooctanoic Acid and Cardiovascular Disease** in US Adults. *Arch Intern Med* 2012:1-7.

- 281. Frisbee SJ, Shankar A, Knox SS, Steenland K, Savitz DA, Fletcher T, Ducatman AM: **Perfluorooctanoic acid, perfluorooctanesulfonate, and serum lipids in children and adolescents: results from the C8 Health Project**. *Arch Pediatr Adolesc Med* 2010, **164**(9):860-869.
- 282. Steenland K, Tinker S, Frisbee S, Ducatman A, Vaccarino V: **Association of perfluorooctanoic acid and perfluorooctane sulfonate with serum lipids among adults living near a chemical plant**. *Am J Epidemiol* 2009, **170**(10):1268-1278.
- 283. Nelson JW, Hatch EE, Webster TF: **Exposure to polyfluoroalkyl chemicals and cholesterol, body weight, and insulin resistance in the general U.S. population**. *Environ Health Perspect* 2010, **118**(2):197-202.
- 284. Kerger BD, Copeland TL, DeCaprio AP: **Tenuous dose-response correlations for common disease states: case study of cholesterol and perfluorooctanoate/sulfonate (PFOA/PFOS) in the C8 Health Project**. *Drug Chem Toxicol* 2011, **34**(4):396-404.
- 285. Alexander BH, Olsen GW, Burris JM, Mandel JH, Mandel JS: **Mortality of employees of a perfluorooctanesulphonyl fluoride manufacturing facility**. *Occup Environ Med* 2003, **60**(10):722-729.
- 286. Min JY, Lee KJ, Park JB, Min KB: **Perfluorooctanoic acid exposure is associated with elevated homocysteine and hypertension in US adults**. *Occup Environ Med* 2012, **69**(9):658-662.
- 287. Shankar A, Xiao J, Ducatman A: **Perfluoroalkyl chemicals and chronic kidney disease** in US adults. *Am J Epidemiol* 2011, **174**(8):893-900.
- 288. Steenland K, Tinker S, Shankar A, Ducatman A: **Association of perfluorooctanoic acid** (**PFOA**) and perfluorooctane sulfonate (**PFOS**) with uric acid among adults with elevated community exposure to **PFOA**. *Environ Health Perspect* 2010, **118**(2):229-233.
- 289. U.S. Environmental Protection Agency.: **Perfluorooctanoic Acid (PFOA) and Fluorinated Telomers**. 2006.
- 290. Alexander BH, Olsen GW: **Bladder cancer in perfluorooctanesulfonyl fluoride** manufacturing workers. *Ann Epidemiol* 2007, **17**(6):471-478.
- 291. Steenland K, Woskie S: **Cohort mortality study of workers exposed to perfluorooctanoic acid**. *Am J Epidemiol* 2012, **176**(10):909-917.
- 292. Minnesota Cancer Surveillance System: **Cancer incidence in Dakota and Washington counties**. In: *MCSS Epidemiology Report 2007:1*. St. Paul, MN: Minnesota Cancer Surveillance System; 2007.
- 293. Vieira VM, Hoffman K, Shin HM, Weinberg JM, Webster TF, Fletcher T: **Perfluorooctanoic acid exposure and cancer outcomes in a contaminated community: a geographic analysis**. *Environ Health Perspect* 2013, **121**(3):318-323.
- 294. Barry V, Winquist A, Steenland K: **Perfluorooctanoic acid (PFOA) exposures and incident cancers among adults living near a chemical plant**. *Environ Health Perspect* 2013, **121**(11-12):1313-1318.
- 295. Grandjean P, Olsen JH, Jensen OM, Juel K: Cancer incidence and mortality in workers exposed to fluoride. *J Natl Cancer Inst* 1992, **84**(24):1903-1909.
- 296. C8 Science Panel: **Status Report: PFOA and Adult Thyroid Disease in the mid-Ohio Valley**. In. Edited by Fletcher T, Steenland K, Savitz D; 2011.
- 297. Institute of Medicine (U.S.). Committee on Breast Cancer and the Environment: The Scientific Evidence Research Methodology and Future Directions.: **Breast cancer and**

- **the environment : a life course approach**. Washington, DC: National Academies Press; 2012.
- 298. Science Advisory Board: **SAB Review of EPA's Draft Risk Assessment of Potential Human Health Effects Associated with PFOA and Its Salts**. In. Washington, DC: U.S. Environmental Protection Agency; 2006.
- 299. Bonefeld-Jorgensen EC, Long M, Bossi R, Ayotte P, Asmund G, Kruger T, Ghisari M, Mulvad G, Kern P, Nzulumiki P *et al*: **Perfluorinated compounds are related to breast cancer risk in Greenlandic Inuit: a case control study**. *Environ Health* 2011, **10**:88.
- 300. Wielsoe M, Kern P, Bonefeld-Jorgensen EC: **Serum levels of environmental pollutants** is a risk factor for breast cancer in Inuit: a case control study. *Environ Health* 2017, **16**(1):56.
- 301. Biegel LB, Hurtt ME, Frame SR, O'Connor JC, Cook JC: **Mechanisms of extrahepatic tumor induction by peroxisome proliferators in male CD rats**. *Toxicol Sci* 2001, **60**(1):44-55.
- 302. Glynn A, Berger U, Bignert A, Ullah S, Aune M, Lignell S, Darnerud PO: **Perfluorinated alkyl acids in blood serum from primiparous women in Sweden: serial sampling during pregnancy and nursing, and temporal trends 1996-2010**. *Environ Sci Technol* 2012, **46**(16):9071-9079.
- 303. Birnbaum LS, Grandjean P: **Alternatives to PFASs: Perspectives on the Science**. *Environ Health Perspect* 2015, **123**(5):A104-105.
- 304. Bowman JS: Response to "Comment on 'Fluorotechnology Is Critical to Modern Life: The FluoroCouncil Counterpoint to the Madrid Statement". Environ Health Perspect 2015, 123(7):A170-171.
- 305. Bogdanska J, Sundstrom M, Bergstrom U, Borg D, Abedi-Valugerdi M, Bergman A, DePierre J, Nobel S: **Tissue distribution of 35S-labelled perfluorobutanesulfonic acid in adult mice following dietary exposure for 1-5 days**. *Chemosphere* 2014, **98**:28-36.
- 306. Minnesota Department of Health: **Health Based Guidance for Groundwater: Perfluorohexane sulfonate**. In. St.Paul, MN: Health Risk Assessment Unit, Environmental Health Division, Minnesota Department of Health; 2009.
- 307. Foreman JE, Chang SC, Ehresman DJ, Butenhoff JL, Anderson CR, Palkar PS, Kang BH, Gonzalez FJ, Peters JM: **Differential hepatic effects of perfluorobutyrate mediated by mouse and human PPAR-alpha**. *Toxicol Sci* 2009, **110**(1):204-211.
- 308. Butenhoff JL, Chang SC, Ehresman DJ, York RG: **Evaluation of potential reproductive** and developmental toxicity of potassium perfluorohexanesulfonate in Sprague **Dawley rats**. *Reprod Toxicol* 2009, **27**(3-4):331-341.
- 309. Tao L, Kannan K, Wong CM, Arcaro KF, Butenhoff JL: **Perfluorinated compounds in human milk from Massachusetts, U.S.A**. *Environ Sci Technol* 2008, **42**(8):3096-3101.
- 310. Gwinn MR, Axelrad DA, Bahadori T, Bussard D, Cascio WE, Deener K, Dix D, Thomas RS, Kavlock RJ, Burke TA: **Chemical Risk Assessment: Traditional vs Public Health Perspectives**. *Am J Public Health* 2017, **107**(7):1032-1039.
- 311. Dong Z, Bahar MM, Jit J, Kennedy B, Priestly B, Ng J, Lamb D, Liu Y, Duan L, Naidu R: Issues raised by the reference doses for perfluorooctane sulfonate and perfluorooctanoic acid. *Environ Int* 2017, **105**:86-94.
- 312. Rainieri S, Conlledo N, Langerholc T, Madorran E, Sala M, Barranco A: **Toxic effects of perfluorinated compounds at human cellular level and on a model vertebrate**. *Food Chem Toxicol* 2017, **104**:14-25.

- 313. Desforges JP, Levin M, Jasperse L, De Guise S, Eulaers I, Letcher RJ, Acquarone M, Nordoy E, Folkow L, Hammer Jensen T *et al*: **Effects of polar bear and killer whale derived contaminant cocktails on marine mammal immunity**. *Environ Sci Technol* 2017.
- 314. U.S. Environmental Protection Agency: **Provisional health advisories for perfluorooctanoic acid (PFOA) and perfluorooctane sulfonate (PFOS)**. In. Washington, DC: U.S. Environmental Protection Agency; 2009.
- 315. Minnesota Department of Health: **Health Risk Limits for Perfluorochemicals**. In: *Report to the Minnesota Legislature*. St.Paul, MN: Minnesota Department of Health; 2008.
- 316. Minnesota Department of Health: **2011 Health Risk Limits for Groundwater: Perfluorobutane sulfonate**. In. St.Paul, MN: Health Risk Assessment Unit, Environmental Health Division, Minnesota Department of Health; 2011.
- 317. Budtz-Jorgensen E, Keiding N, Grandjean P: **Benchmark dose calculation from epidemiological data**. *Biometrics* 2001, **57**(3):698-706.
- 318. Lau C, Thibodeaux JR, Hanson RG, Narotsky MG, Rogers JM, Lindstrom AB, Strynar MJ: Effects of perfluorooctanoic acid exposure during pregnancy in the mouse. *Toxicol Sci* 2006, **90**(2):510-518.
- 319. National Research Council (U.S.). Committee on Pesticides in the Diets of Infants and Children.: **Pesticides in the diets of infants and children**. Washington, D.C.: National Academy Press; 1993.