



# Is Your Yard A Sponge?

Fall & Winter 2008

## Just For Perspective



You've probably noticed water flowing down the street when it rains, but have you ever noticed water flowing off your own property? It's possible to get an idea of the magnitude of the issue of stormwater runoff, simply by calculating one year's worth of runoff from your own roof.

**Step 1.** For simplicity, we assume that the surface area of the roof is approximately the same as the square footage of your house.

Record that here: \_\_\_\_\_ square feet

**Step 2.** Multiply the square footage of your roof by the amount of rain typical for Rhode Island in one year: 42 inches. For this calculation, use 3.5 ft/yr.

\_\_\_\_\_ square feet x 3.5 ft/yr = \_\_\_\_\_ ft<sup>3</sup> /yr

**Step 3.** Multiply the answer you got in Step 2 by a conversion factor of 7.5 gal/ft<sup>3</sup> to get the appropriate units:

\_\_\_\_\_ ft<sup>3</sup>/yr x 7.5 gal/ft<sup>3</sup> = \_\_\_\_\_ gallons

**Are you surprised?**

\_\_\_\_\_

*The amount of rain that flows off an average roof, over the course of a year in Rhode Island, would fill more than 500 bathtubs!*

\_\_\_\_\_

## Divert and Collect

There are two ways to deal with all the water that run offs of your roof: you can collect some of it using rain barrels, and you can divert some of it onto landscaped areas, rather than onto pavement.

- Roof runoff can be captured in a **rain barrel** and used later for irrigation, which not only reduces stormwater but also conserves water. In fact, it's estimated that a rain barrel can save 1300 gallons of water during the summer season. Rain barrels come in a variety of sizes, typically between 50 and 80 gallons. They are installed under a roof downspout or sometimes connected directly to the downspout. Many rain barrels even have a spigot for facilitating irrigation.
- If the runoff from your roof flows directly onto pavement, consider using downspout extenders to **direct the water onto a landscaped area** instead.
- Runoff also can be directed to a **rain garden**, which is a natural or dug shallow depression designed to soak up water. Rain gardens are created with highly absorbent soil and the proper mix of shrubs and plants to facilitate collecting water and infiltrating it back into the ground. For more information about rain gardens, visit: <http://www.uri.edu/ce/healthylandscapes/raingarden.htm>





---

*Allowing rainfall to soak into the ground, rather than flow over pavement, replenishes water resources and reduces flooding.*

---

## Make Pavement More Porous

Obviously, every home will have some paved elements. The following suggestions can be used, if you are planning renovations to your property, in order to make any new paved areas more stormwater-friendly.

- A wide range of **porous materials** have become available and widely used as viable alternatives to conventional construction materials. Because porous, or permeable, materials allow water to pass through their surface (in the case of porous asphalt or concrete) or through void spaces (in the case of concrete or grid pavers), nuisance flooding is reduced and groundwater is recharged. For more information on these alternatives, visit: <http://www.uri.edu/ce/wq/NEMO/Publications/index.htm>
- **Wheel tracks**, also known as "Hollywood driveways," can be used in place of full-width asphalt or concrete driveways.

## For more information:

Visit the website: <http://www.ristormwatersolutions.org>