Study Guide Goat Knowledge

Definitions:

- Artificial Insemination Another way to impregnate your doe.
- Bloat-Swelling on the left side of your goat, slobbering, or lying down.
- 3. Colostrum- The first milk a doe produces during the first couple of days after giving birth.
- 4. Crossbreeding- when you mate a doe of one breed to a buck of another breed.
- 5. Disbudding- When you burn the horns of a newborn kid.
- 6. Doeling- A doe that is one year or younger.
- 7. Drying off- When you prepare a goat for birth and you stop the milking process.
- 8. Flagging- When a doe wags her tails letting you know that she may be in heat.
- 9. Free Choice Feed- When feed if left out for your goats at all times.
- 10. Lice-Small insects that are on the skin of your goat, and cause your goat to loose weight, loss of hair and scratching.
- 11. Mastitis- The inflammation of the udder.
- 12. Pneumonia- A sickness of coughing, runny nose, eyes, and fever.
- 13. Toxic Plants- Milkweed, Nightshade, Rhododendron, Mountain Laurel, Hours Nettle.
- 14. Wether- a castrated buck.

Facts:

- 1. American Dairy goat Association (AGDA)- an organization that keeps track of production records, show records, and pedigrees, it also issues official papers that registers your goat.
- 2. Your goat should be feed two times per day.
- 3. You should trim your goats' hoofs a least once per month.
- 4. A doe gestation period is 150 day/5 months, and will carry her kids on her right side of her body, and can have up to five kids at a time.
- 5. Hay, Soda, and Trace Mineral Salts should be free choice feeds.
- 6. When a doe "settles" she could be pregnant.
- 7. Goats need fresh water daily.
- 8. You should milk a goat twice per day.
- 9. Swiss Dairy goat breeds are: Alpine, Oberhasli, Saanen, Toggenburg,
- 10. Tropical Breeds are: Nubian, LaMancha,
- 11. Meat goat breeds are: Boar, Spanish goat, brush goat.
- 12. Fiber goat breeds are: Angora. Cashmere
- 13. Miniature Goats: African Pygmy, Nigerian Dwarf
- 14. Recommended time for breeding is September through October.
- 15. To prevent hoof rot you should always keep you goats bedding dry, and clean, and trim hoofs regularly.
- 16. A goat has 4 stomachs, but when it is first born only one stomach works.
- 17. A normal body temperature for a goat is 101.5-105° F
- 18. When you goat is pregnant you should feed her 1 lb of feed per day and increase it during the last 2 weeks to 3 pounds per day.
- 19. When preparing for a show you should shave your black goat 1 week before the show, and a white goat 1-2 days before the show.
- 20. Always make sure that all feed is fresh and mold free.
- 21. After you doe gives birth, it is recommended to give her some warm water mixed with molasses, this is a special treat and will giver her an extra energy boost if she is having more than one kid.

- 22. Never pasteurize your goats' milk in a microwave.
- 23. A milk stand can be used to milk and groom your goats.
- 24. Miniature goats are just like the other breeds of goats, you have to milk and groom them just like other breeds, the only difference is the amount you feed them.
- 25. An Average doe can produce about 900 Quarts of milk per year.
- 26. When preparing your goat for a show you should use a 10 blade for the underbody, inside the ears, bag and udders, for the body you should use a 30 blade.
- 27. Most goats are tattooed in the ears, with the exception of the LaMancha; they are tattooed in the tail web.
- 28. Goats should have two teats on their bag.
- 29. When you purchase goats it is recommended to have more than one.
- 30. A goat has two kinds of hair Primary and Secondary hair.